AMENDMENTS TO THE CLAIMS

1-96. (Cancelled)

97. (Currently Amended) A support comprising an array of microchips immobilized on said support, each of said microchips comprising an array of oligonucleotide probes immobilized on the surface of each of said microchips to permit parallel execution of reactions in said microchips, each of said microchips being separated by a physical barrier or a hydrophobic surface from every other microchip, said physical barrier or hydrophobic surface defining distinct spatial areas which keep microchips and probes in corresponding arrays and each of said microchips having oligonucleotides with different sequences attached thereto at different locations.

98-156. (Cancelled)

- 157. (Currently Amended) The support of claim 97 wherein the physical barrier is a groove and permits an amount of labeled probe to be transferred separately to each microchip.
- 158. (Currently Amended) The support of claim 97 wherein the hydrophobic surface is a hydrophobic strip and permits an amount of labeled probe to be transferred separately to each microchip.
- 159. (Previously Presented) The support of claim 97 wherein the microchips are arranged in multiple rows and columns.
- 160. (Previously Presented) The support of claim 97 wherein the microchips are positioned for use with multichannel pipet.
- 161. (Previously Presented) The support of claim 97 combined as a kit with at least one component selected from: hybridization buffer, washing buffer, control DNA, a set of labeled probes, ligation enzyme, chemical ligation agent, and ligation buffer.

- 162. (Previously Presented) The support of claim 97 wherein the microchips are arrayed in an 8 times 12 format.
- 163. (Previously Presented) The support of claim 97 wherein there are more than 256 oligonucleotide probes per array.
- 164. (Previously Presented) The support of claim 97 wherein the oligonucleotide probes are between about 4 and about 9 bases in length.
- 165. (Previously Presented) The support of claim 97 wherein the oligonucleotide probes are prepared on the microchip via a light-directed oligonucleotide synthesis.
- 166. (Previously Presented) A support comprising an array of micro arrays of oligonucleotides, said oligonucleotides immobilized on said support, wherein each microarray is separated by a physical barrier or a hydrophobic surface from every other microarray to permit parallel execution of reactions in said microchips, said physical barrier or hydrophobic surface creating distinct spatial areas which keep probes in corresponding microarrays and each microarray having oligonucleotides with different sequences attached thereto.
- 167. (Currently Amended) The support of claim 166 wherein the physical barrier is a groove <u>and permits an amount of labeled probe to be transferred separately</u> to each microchip.
- 168. (Currently Amended) The support of claim 166 wherein the hydrophobic surface is a hydrophobic strip and permits an amount of labeled probe to be transferred separately to each microchip.
- 169. (Previously Presented) The support of claim 166 wherein the microarrays of oligonucleotides are arranged in multiple rows and columns.
- 170. (Previously Presented) The support of claim 166 wherein the microarrays of oligonucleotides are positioned for use with a multichannel pipet.

- 171. (Previously Presented) The support of claim 166 combined as a kit with at least one component selected from: hybridization buffer, washing buffer, control DNA, a set of labeled probes. ligation enzyme, chemical ligation agent, and ligation buffer.
- 172. (Previously Presented) The support of claim 166 wherein the microarrays of oligonucleotides are arrayed in an 8 times 12 format.
- 173. (Previously Presented) The support of claim 166 wherein there are more than 256 oligonucleotides per microarray.
- 174. (Previously Presented) The support of claim 166 wherein the oligonucleotides are between about 4 and about 9 bases in length.
- 175. (Previously Presented) The support of claim 166 wherein the oligonucleotides are prepared on the support via a light-directed oligonucleotide synthesis.
- 176. (Withdrawn) A method to obtain probe:nucleic acid fragment complexes comprising the step of

contacting the support of claim 97 or claim 166 with a nucleic acid fragment under condition that permit complex formation between a oligonucleotide probe on the support and the nucleic acid fragment.

- 177. (Previously Presented) The support of claim 97 wherein said physical barrier or hydrophobic surface permits an amount of a labeled probe to be transferred separately to each microchip.
- 178. (Previously Presented) The support of claim 97 wherein said physical barrier or hydrophobic surface permits parallel execution of reactions on said microchips.

U.S. Patent Application No.: 08/619,649 Response to Office Action dated June 23, 2011 Response Dated December 22, 2011

- 179. (Previously Presented) The support of claim 166 wherein said physical barrier or hydrophobic surface permits an amount of a labeled probe to be transferred separately to each array.
- 180. (Previously Presented) The support of claim 166 wherein said physical barrier or hydrophobic surface permits parallel execution of reactions on said arrays.
- 181. (Currently Amended) An apparatus comprising a solid support comprising a plurality of sections, each section comprising an array of oligonucleotides attached to the support, wherein the sections are separated from each other by physical barriers or hydrophobic strips to permit parallel execution of reactions in said arrays of oligonucleotides wherein each array comprises oligonucleotides of different sequences attached thereto wherein said arrays are identical with each other.
- 182. (Currently Amended) An apparatus of claim 181 or claim 185 wherein said physical barriers or hydrophobic strips permit a labeled probe to be transferred separately to each section.

183-184. (Cancelled)

- 185. (Currently Amended) The apparatus of claim 181 An apparatus comprising a solid support comprising a plurality of sections, each section comprising an array of oligonucleotides attached to the support, wherein the sections are separated from each other by physical barriers or hydrophobic strips to permit parallel execution of reactions in said arrays of oligonucleotides wherein said arrays are different from each other.
- 186. (Currently Amended) An apparatus comprising a solid support comprising a plurality of sections, each section comprising an array of oligonucleotides attached to the support, wherein the sections are separated from each other by physical barriers or hydrophobic strips to permit transfer of an amount of a labeled probe separately to each section, wherein each array comprises different oligonucleotide sequences attached thereto wherein said arrays are identical with each other.

U.S. Patent Application No.: 08/619,649 Response to Office Action dated June 23, 2011 Response Dated December 22, 2011

- 187. (Cancelled)
- 188. (Currently Amended) The apparatus of claim 186 An apparatus comprising a solid support comprising a plurality of sections, each section comprising an array of oligonucleotides attached to the support, wherein the sections are separated from each other by physical barriers or hydrophobic strips to permit transfer of an amount of a labeled probe separately to each section, wherein said arrays are different from each other.
 - 189. (Cancelled)